

AC 350

Cummins
Mecc Alte
D+' &'

Manufacturer		Cummins														
Model		QSL9-G5														
		<table border="1"> <tr> <td>%\$\$' "# "</td> <td></td> <td></td> <td></td> </tr> <tr> <td>' %\$\$\$' "</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Q % \$\$< DQ</td> <td></td> <td></td> <td></td> </tr> </table>			%\$\$' "# "				' %\$\$\$' "				Q % \$\$< DQ			
%\$\$' "# "																
' %\$\$\$' "																
Q % \$\$< DQ																
	L	8,800														
	"	114 X 145														
		16,8:1														
	fl # 7	"# "	1500													
	fl 7	L	26,50													
		L	28,60													
AbsorbedAirDischargeReSourceKey.Text	' # "	20,40														
	' # "	475,00														
	' # "	31,20														
	° C	560,00														
		24 V d.c.														
	Load	%\$\$i	'+) i) \$i												
	# "	63,00	46,00	31,00												

		Mecc Alte		
		ECO38-3LN		
	Hz	50		
	"	350,00		
7cg'		0,80		
		3		
	fl 7	400/230		
	A	505,00		

		fl 7		fl 7	
	"	"	"	"	L
AC 350	2630,00	2936,00	1300,00	1869,00	450,00
		fl 7		fl 7	
	"	"	"	"	L
MS 60	3450	4000	1300	1970	450

AC 350

Cummins
Mecc Alte
D+ &

f@z@Bl
f@z@Bl

"z" "z"

f@z@Bl

971

#

#

#

#

#

6G'9B'*\$-\$)'\$

6G'9B'*\$\$\$!*!&

6G'9B'*\$\$\$!*!(

f&%) +L

f&)(, L

f&% \$L

GA 8

!&+""

%, !&*(

&(\$)

ž


ž

ž

ž

AC 350

Cummins
Mecc Alte
D+ &''



- 1 Steel structures.
- 2 Emergency stop push button.
- 3 Control panel is mounted on the baseframe . Located at the right side of the generator set.
- 4 Corrosion-resistant locks and hinges.
- 5 oil could be drained via valve and a hose
- 6 Exhaust system in the canopy.
- 7 special large access doors for easy maintenance
- 8 in front and back side special large access doors for easy maintenance
- 9 Base frame -fuel tank.
- 10 Lifting points similar to ISO container , located on each top corner of the canopy
- 11 the canopy provides easy access to radiator cap.
- 12 sound proofing materials
- 13 Plastic air intake pockets.

	"	1300
fl "L	"	4000
fl "L	"	1970
	L	450